

Substance Abuse Treatment Entry, Retention, and Outcomes in Women

Shelly F. Greenfield, MD, MPH
Associate Professor of Psychiatry, Harvard Medical School
Associate Clinical Director, Alcohol and Drug Abuse Treatment Program,
McLean Hospital, Belmont, Massachusetts

A National Conference on Women, Addiction, and Recovery: News You Can Use
July 12, 2006

Reference List

- Arfken, C.L., Klein, C., di Menza, S., Schuster, C.R., 2001. Gender differences in problem severity at assessment and treatment retention. *J. Subst Abuse Treat.* 20, 53-57.
- Benishek, L.A., Bieschke, K.J., Stoffelmayr, B.E., Mavis, B.E., Humphreys, K.A., 1992. Gender differences in depression and anxiety among alcoholics. *J. Subst. Abuse* 4, 235-245.
- Brady T.M., Ashley O.S., 2005. Women in substance abuse treatment: Results from the alcohol and drug services study (ADSS). Retrieved 12/1/2005, from <http://www.drugabusestatistics.samhsa.gov/womenTX/womenTX.htm>
- Brady, K.T., Killeen, T., Saladin, M.E., Dansky, B., Becker, S., 1994. Comorbid substance abuse and posttraumatic stress disorder: Characteristics of women in treatment. *Am. J. Addict.* 3, 160-164.
- Brown, P.J., 2000. Outcome in female patients with both substance use and post-traumatic stress disorders. *Alcsm Treat. Quart.* 18, 127-135.
- Chatham, L.R., Hiller, M.L., Rowan-Szal, G.A., Joe, G.W., Simpson, D., 1999. Gender differences at admission and follow-up in a sample of methadone maintenance clients. *Subst. Use Misuse* 34, 1137-1165.
- Comfort, M., Sockloff, A., Loverro, J., Kaltenbach, K., 2003. Multiple predictors of substance-abusing women's treatment and life outcomes. A prospective longitudinal study. *Addict. Behav.* 28, 199-224.
- Compton, W., Cottler, L.B., Jacobs, J.L., Ben-Abdallah, A., Spitznagel, E.L., 2003. The role of psychiatric disorders in predicting drug dependence treatment outcomes. *Am. J. Psychiatry* 160, 890-895.
- Condelli, W.S., Koch, M.A., Fletcher, B., 2000. Treatment refusal/attrition among adults randomly assigned to programs at a drug treatment campus. The New Jersey Substance Abuse Treatment Campus, Seacaucus, NJ. *J. Subst. Abuse Treat* 18, 395-407.
- Dawson, D.A., 1996. Gender differences in the probability of alcohol treatment. *J. Subst. Abuse Treat.* 8, 211-225.
- Fiorentine, R., Anglin, M.D., Gil-Rivas, V., Taylor, E., 1997. Drug treatment: Explaining the gender paradox. *Subst. Use Misuse* 32, 653-678.
- Fiorentine, R., Hillhouse, M.P., 1999. Drug treatment effectiveness and client-counselor empathy. *J. Drug Issues* 29, 59-74.
- Food and Drug Administration, U. S. Department of Health and Human Services, 1993. Guidelines for the Study and Evaluation of Gender Differences in the Clinical Evaluation of Drugs. *Federal Register*, 58, 39406-39416.
- Galen, L.W., Brower, K.J., Gillespie, B.W., Zucker, R.A., 2000. Sociopathy, gender, and treatment outcome among outpatient substance abusers. *Drug Alcohol Depend.* 61, 23-33.

- Gentilello, L.M., Rivara, F.P., Donovan, D.M., Villaveces, A., Daranciang, E., Dunn, C.W., Ries, R.R., 2000. Alcohol problems in women admitted to a level I trauma center: a gender-based comparison. *J. Trauma* 48, 108-114.
- Green, C.A., Polen, M.R., Dickinson, D.M., Lynch, F.L., Bennett, M.D., 2002. Gender differences in predictors of initiation, retention, and completion in an HMO-based substance abuse treatment program. *J. Subst. Abuse Treat.* 23, 285-295.
- Green, C.A., Polen, M.R., Lynch, F.L., Dickinson, D.M., Bennett, M.D., 2004. Gender differences in outcomes in an HMO-based substance abuse treatment program. *J. Addict. Dis.* 23, 47-70.
- Greenfield S.F., Brooks A.J., Gordon S.M., Green C.A., Kropp F., McHugh R.K., Lincoln M.F., Hien D., Miele G.M., in press (available online 8 June 2006). Substance Abuse Treatment Entry, Retention, and Outcome in Women: A Review of the Literature. *Drug and Alcohol Depend.*
- Greenfield, S.F., Kolodziej, M.E., Sugarman, D.E., Muenz, L.R., Vagge, L.M., He, D.Y., Weiss, R.D., 2002. History of abuse and drinking outcomes following inpatient alcohol treatment: A prospective study. *Drug Alcohol Depend.* 67, 227-234.
- Greenfield S.F., Trucco, E.M., McHugh, R.K., Lincoln, M.L., Gallop, R., 2006. Women's Recovery Group Study: A Stage I Trial of Women-Focused Group Therapy for Substance Use Disorders vs. Mixed-Gender Group Drug Counseling. Poster session presented at the meeting of the Research society of Alcoholism, Baltimore, MD.
- Greenfield, S.F., Weiss, R.D., Muenz, L.R., Vagge, L.M., Kelly, J.F., Bello, L.R., Michael, J., 1998. The effect of depression on return to drinking: A prospective study. *Arch. Gen. Psychiatry* 55, 259-265.
- Grella, C.E., 1999. Women in residential drug treatment: Differences by program type and pregnancy. *J. Health Care Poor Underserved* 10, 216-229.
- Grella, C.E., Polinsky, M.L., Hser, Y., Perry, S.M., 1999. Characteristics of women-only and mixed-gender drug abuse treatment programs. *J. Subst. Abuse Treat.* 17, 37-44.
- Hasin, D.S., Endicott, J., Keller, M. B., 1991. Alcohol problems in psychiatric patients: 5-year course. *Compr. Psychiatry* 32, 303-318.
- Henskens, R., Mulder, C.L., Garretsen, H., 2005. Gender differences in problems and needs among chronic, high-risk crack abusers: Results of a randomized controlled trial. *J. Subst. Abuse* 10(2-3), 128-140.
- Hernandez-Avila, C.A., Rounsaville, B.J., Kranzler, H.R., 2004. Opioid-, cannabis- and alcohol-dependent women show more rapid progression to substance abuse treatment. *Drug Alcohol Depend.* 74, 265-272.
- Hesselbrock, M.N., 1991. Gender comparison of antisocial personality disorder and depression in alcoholism. *J. Subst. Abuse* 3, 205-219.
- Hien, D.A., Cohen, L.R., Miele, G.M., Litt, L.C., Capstick, C., 2004. Promising treatments for women with comorbid PTSD and substance use disorders. *Am. J. Psychiatry* 161, 1426-1432.
- Hodgins, D.C., el-Guebaly, N., Addington, J., 1997. Treatment of substance abusers: Single or mixed gender programs? *Addiction* 92, 805-812.
- Hser, Y., Huang, D., Teruya, C.M., Anglin, D.M., 2003. Gender comparisons of drug abuse treatment outcomes and predictors. *Drug Alcohol Depend.* 72, 255-264.
- Hser, Y.I., Huang, Y.C., Teruya, C., Anglin, M.D., 2004. Gender differences in treatment outcomes over a three-year period: A PATH model analysis. *J. Drug Issues* 34(2), 419-439.
- Hser, Y.I., Joshi, V., Maglione, M., Chou, C.P., Anglin, M.D., 2001. Effects of program and patient characteristics on retention of drug treatment patients. *Eval Program Plann* 24(4), 331-341.

- Hughes, P.H., Coletti, S.D., Neri, R.L., Urmann, C.F., Stahl, S., Sicilian, D.M., Anthony, J.C., 1995. Retaining cocaine-abusing women in a therapeutic community: The effect of a child live-in program. *Am. J. Public Health* 85, 1149-1152.
- Jarvis, T.J., 1992. Implications of gender for alcohol treatment research: A quantitative and qualitative review. *Br. J. Addict.* 87, 1249-1261.
- Joe, G., Simpson, D.D., Broome, K., 1999. Retention and patient engagement models for different treatment modalities in DATOS. *Drug Alcohol Depend.* 57(2), 113-125.
- Kang, S., Magura, S., Laudet, A., Whitney, S., 1999. Adverse effect of child abuse victimization among substance-using women in treatment. *J. Interpers. Violence* 14, 657-670.
- Kaskutas, L.A., Zhang, L., French, M.T., Witbrodt, J., 2005. Women's programs versus mixed-gender day treatment: Results from a randomized study. *Addiction* 100, 60-69.
- Kelly, P.J., Blacksin, B., Mason, E., 2001. Factors affecting substance abuse treatment completion for women. *Issues Ment. Health Nurs.* 22, 287-304.
- King, A.C., Canada, S.A., 2004. Client-related predictors of early treatment drop-out in a substance abuse clinic exclusively employing individual therapy. *J. Subst. Abuse Treat.* 26, 189-195.
- Kohn, C.S., Mertens, J.R., Weisner, C.M., 2002. Coping among individuals seeking private chemical dependence treatment: Gender differences and impact on length of stay in treatment. *Alcohol. Clin. Exp. Res.* 26, 1228-1233.
- Kosten, T.A., Gawin, F.H., Kosten, T.R., Rounsaville, B.J., 1993. Gender differences in cocaine use and treatment response. *J. Subst. Abuse Treat.* 10, 63-66.
- Kranzler, H.R., Del Boca, F.K., Rounsaville, B.J., 1996. Comorbid psychiatric diagnosis predicts three-year outcomes in alcoholics: A posttreatment natural history study. *J. Stud. Alcohol* 57, 619-626.
- Maglione, M., Chao B., Anglin, D., 2000. Residential treatment of methamphetamine users: Correlates of drop-out from the California Alcohol and Drug Data System (CADDSS), 1994-1997. *Addict. Res.* 8(1), 65-79.
- Mertens, J.R., Weisner, C.M., 2000. Predictors of substance abuse treatment retention among women and men in an HMO. *Alcohol. Clin. Exp. Res.* 24, 1525-1533.
- Messina, N., Wish, E., Nemes, S., 2000. Predictors of treatment outcomes in men and women admitted to a therapeutic community. *Am. J. Drug Alcohol Abuse* 26, 207-227.
- McCaul, M.E., Svikis, D.S., Moore, R.D., 2001. Predictors of outpatient treatment retention: Patient versus substance use characteristics. *Drug Alcohol Depend.* 62, 9-17.
- McKay, J.R., Lynch, K.G., Pettinati, H.M., Shepard, D.S., 2003. An examination of potential sex and race effects in a study of continuing care for alcohol- and cocaine-dependent patients. *Alcohol. Clin. Exp. Res.* 27, 1321-1323.
- Mueller, T.I., Lavori, T.W., Keller, M.B., Swartz, A., Warshaw, M., Hasin, D., Coryell, W., Endicott, J., Rice, J., Akiskal, H., 1994. Prognostic effect of the variable course of alcoholism on the 10-year course of depression. *Am. J. Psychiatry* 151, 701-706.
- Orwin, R.G., Francisco, L., Bernichon, T., 2001. Effectiveness of women's substance abuse treatment programs: A meta-analysis. Center for Substance Abuse Treatment, SAMHSA, Arlington, Virginia.
- Petry, N.M., Bickel, W.K., 2000. Gender differences in hostility of opioid-dependent outpatients: Role in early treatment termination. *Drug Alcohol Depend* 58(1-2), 27-33.
- Pettinati, H.M., Rukstalis, M.R., Luck, G.J., Volpicelli, J.R., O'Brien, C.P., 2000. Gender and psychiatric comorbidity: impact on clinical presentation of alcohol dependence. *Am J Addict* 9, 242-252.
- Piazza, N.J., Vrbka, J.L., Yeager, R.D., 1989. Telescoping of alcoholism in women alcoholics. *Int. J. Addict.* 24, 19-28.

- Randall, C.L., Robert, J.S., DelBoca, F.K., Carroll, K.M., Connors, G.J., Mattson, M.E., 1999. Telescoping of landmark events associated with drinking: A gender comparison. *J. Stud. Alcohol* 60, 252-260.
- Rivers, S.M., Greenbaum, R.L., Goldberg, E., 2001. Hospital-based adolescent substance abuse treatment: Comorbidity, outcomes, and gender. *J. Nerv. Ment. Dis.* 189, 229-237.
- Roberts, A.C., Nishimoto, R.H., 1996. Predicting treatment retention of women dependent on cocaine. *Am. J. Drug Alcohol Abuse* 22, 313-333..
- Sanchez-Craig, M., Spivak, K., Davila, R., 1991. Superior outcome of females over males after brief treatment for the reduction of heavy drinking: Replication and report of therapist effects. *Br. J. Addict.* 86, 867-876.
- Satre, D.D., Mertens, J., Arean, P.A., Weisner, C., 2004. Contrasting outcomes of older versus middle-aged and younger adult chemical dependency patients in a managed care program. *J. Stud. Alcohol* 64, 520-530.
- Sayre, S.L., Schmitz, J.M., Stotts, A.L., Averill, P.M., Rhoades, H.M., Grabowski, J.J., 2002. Determining predictors of attrition in an outpatient substance abuse program. *Amer. J. Drug Alc. Abuse* 28(1), 55-72.
- Simpson, D.D., Joe, G.W., Broome, K.M., Hiller, M.L., Knight, K., Rowan-Szal, G.A., 1997. Program diversity and treatment retention rates in the drug abuse treatment outcome study (DATOS). *Psychol. Addict. Behav.* 11(4), 279-293.
- Sterling, R.C., Gottheil, E., Weinstein, S.P., Serota, R., 1998. Therapist/patient race and sex matching: treatment retention and 9-month follow-up outcome. *Addiction* 93, 043-1050.
- Substance Abuse and Mental Health Services Administration (SAMHSA), 2004. Results from the 2003 National Survey on Drug Use and Health: National Findings. NSDUH Series H-25, DHHS Publication No. (SMA) 04-3964. Office of Applied Studies, Rockville, MD.
- Szuster, R.R., Rich, L.L., Chung, A., Bisconer, S.W., 1996. Treatment retention in women's residential chemical dependency treatment: The effect of admission with children. *Subst. Use Misuse* 31, 1001-1013.
- Timko, C., Moos, R.H., Finney, J.W., Connell, E.G., 2002. Gender differences in help-utilization and the 8-year course of alcohol abuse. *Addiction*, 97, 877-889.
- Veach, L.J., Remley, T.P., Kippers, S.M., Sorg, J.D., 2000. Retention predictors related to intensive outpatient programs for substance use disorders. *Amer. J. Drug Alc. Abuse* 26(3), 417-428.
- Volpicelli, J., Markman, I., Monterosso, J., Filing, J., O'Brien, C., 2000. Psychosocially enhanced treatment for cocaine-dependent mothers: Evidence of efficacy. *J. Subst. Abuse Treat.* 18, 41-49.
- Weisner, C., Schmidt, L., 1992. Gender disparities in treatment for alcohol problems. *JAMA* 268, 1872-1876.
- Weisner, C., 1993. Toward an alcohol treatment entry model: A comparison of problem drinkers in the general population and in treatment. *Alcohol. Clin. Exp. Res.* 17, 746-752.
- Weiss, R.D., Martinez-Raga, J., Griffin, M L., Greenfield, S. F., Hufford, C., 1997. Gender differences in cocaine dependent patients: A 6 month follow-up study. *Drug Alcohol Depend.* 44, 35-40.